


55" DIGITAL SIGNAGE SERIES



Commercial Digital Signage Solution

Designed for continuous commercial operation in shopping malls, hotels, retail stores, airports, corporate lobbies and public spaces.

Multiple Media Playback

Supports image, video, music and USB multimedia playback with broad format compatibility.

WiFi & Network Connectivity

Built-in WiFi and RJ45 connectivity allow flexible content updates and network integration.

Slim Industrial Design

Modern ultra-slim aluminum body with premium finish provides an elegant appearance suitable for professional environments.

Freestanding Floor Design

Stable floor-standing construction allows flexible placement without wall installation requirements.

High Reliability Operation

Commercial-grade hardware and optimized cooling design ensure stable long-term operation for everyday professional use.

Series Overview

The DGT Digital Signage Series is designed for modern advertising, information display and smart commercial environments. Combining ultra-clear 4K visuals, Android-based media management and elegant industrial design, the series delivers a reliable and professional digital signage solution for retail, hospitality, corporate and public spaces.

Built with high-brightness commercial panels and durable aluminum construction, DGT Totems provide continuous performance for indoor digital advertising, promotional campaigns and information display applications.

The slim freestanding design allows easy installation while maintaining a modern and premium appearance suitable for high-traffic environments.

The series is available in:

- 55"
- 65"


Functions

4K Ultra HD Display

High-resolution 4K display delivers sharp visuals, vivid colors and excellent viewing angles for dynamic advertising content and digital presentations.

Android Smart System

Integrated Android platform enables smooth multimedia playback, application support and easy content management.



Technical specification

Built-in System

Operating system	Android 12
CPU	Cortex-A76 Quad-core + Cortex-A55 Quad-core
GPU	Mali G52 600MHz
RAM	4GB DDR3
ROM	32GB EMMC
Audio Format	MPEG1 Layer I/II, AAC-LC, WMA
Video Format	MPEG-2/4, AVS, H.264, H.265, TS, RealMedia
OSD UI Languages	Multi-language support
USB Disk Support	Photo / Music / Movie playback via USB

LCD Panel

Screen Size	55"
Panel Brand / Model	CSOT_ST5461D07-8
Resolution / Aspect ratio	3840 × 2160 / 16:9
Active area	1209.6 × 680.4 mm
Backlight Type	LED
Brightness	320 cd/m ² (Typical)
Contrast Ratio	4500:1
Pixel Pitch	0.105 × 0.315 mm
Response Time	8 ms GTG
Viewing Angle	89° / 89°
Display Colors	8bit + FRC, 1.07G colors
Panel Frame Rate	60Hz
Color Gamut	72% NTSC
Brightness Uniformity	≥70%
Life Time	30000 hrs

Device Ports

HDMI Input	1 × HDMI IN
HDMI Output	2 × USB2.0 OTG
USB Universal Serial Bus	2 × USB2.0 OTG
Audio Output (Earphone)	1 × 3.5 mm Audio Jack
Ethernet Input	1 × RJ45 IN
WiFi Aerial	2.4GHz + 5GHz + Bluetooth 4.0

Speaker

Built-in Speaker	2 × 8W
------------------	--------

General

Power Input	AC 100–240V / 50Hz
Operation Consumption	<80W
Standby Consumption	<0.5 W
LED Indicator Light Mode	Power on: Blue / Power off: Red
Main Power Switch	Yes

Operation Function

Network Settings	RJ45 + WiFi support
Camera	No
Alarm Function	No
Rolling Subtitle	Supported
Time Sharing Setting	Supported
Language Switching	Multi-language switching
Watchdog Reset	Automatic recovery after abnormality
USB	Supports USB mouse and keyboard
Mouse	Mouse cursor support
TF Card	Supports TF card expansion

Mechanical




Tilt Angle	0°
Swivel Angle	0°
Surface Treatment / Color	Sand oxide / silver
Cabinet Material	Aluminum alloy surface box, hardware back cover
Wall Mounting Hole	N/A

Accessories

Remote Control	×1
Batteries	×1 set
Power Cord	×1
Instruction Manual	×1
Warranty Card	×1
WiFi Antenna	×1
Certificate of Approval	×1
Wall Mounting Kit	×1

Operating environment

Storage Temperature	-20°C ~ 60°C
Operating Temperature	0°C ~ 40°C
Operating Humidity	10~90% RH
Altitude	≤5000 m



55" 65" (LE9)

