

  
inkbenefit  
plus



# A4 wireless all-in-one colour inkjet printer

MFC-T910DW



PRINT



COPY



SCAN



FAX



WIRELESS

[www.brother.eu](http://www.brother.eu)

# A4 wireless all-in-one colour inkjet printer

The MFC-T910DW is the perfect solution for the home or small office with print, copy, scan and fax requirements. As well as the fundamentals, the compact MFC-T910DW offers cost-saving opportunities via the ink tank refill system. Furthermore, with automatic double sided printing, the MFC-T910DW helps you save paper.

## MFC-T910DW



## Key Features:

- Print speeds of up to 12 images per minute
- Simple to use ink tank refill system
- 2x black, 1x cyan, 1x magenta and 1x yellow ink bottles included
- Wired LAN & wireless connectivity
- Mobile printing
- Automatic 2 sided printing
- 150 sheet, front loading, enclosed paper tray
- 20 sheet automatic document feeder (ADF)
- Additional 80 sheet multi-purpose tray
- 4.5cm colour LCD

## A range of connectivity options

As well as bringing affordable print, copy, scan and fax functionality to your home or small office, the MFC-T910DW offers a range of connectivity options. Built with convenience in mind, printing via a mobile device is quick and easy, and thanks to wireless printing, you don't even have to be in the same room.

## The cost-effective ink tank refill system

Carrying yields of up to 6500\* pages, Brother's quick and easy ink tank refill system helps you to achieve high print volumes, while delivering low costs per page. With the MFC-T910DW you will receive the full 4-colour line-up of ink bottles (including a second black bottle), in the box to get you up and printing as soon as possible.

  
inkbenefit  
plus

\*Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

## General

### Engine

Inkjet

### Memory

128MB

### Control Panel

4.5cm Colour LCD with cursor controls

### Local Interface

Hi-Speed USB 2.0

### Wired Network

Ethernet 10/100BASE-TX

### Wireless Network

IEEE 802.11b/g/n

### Mobile Print

Print from your mobile devices to your Brother printer

## Print

### Print Speed (A4)<sup>8</sup>

12ipm mono & 10ipm colour  
(based on ISO/IEC 24734)

### FPOT (First Print out Time)<sup>9</sup>

13 seconds Mono, 14 seconds  
Colour

### Warm up Time

0 seconds

### Quiet Mode

A mode to reduce the printing noise by reducing the print speed

### Resolution

Up to 6,000 x 1,200dpi

### Automatic 2 sided Print

Yes

## Printer Functions

### N-up Printing<sup>3</sup>

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

### Poster Printing<sup>4</sup>

Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages

### Watermark Printing<sup>4</sup>

Watermark your documents with predefined text or with your own user-defined messages

### ID Printing<sup>4</sup>

Add identification to your printed documents (date & time, short custom message or PC username)

### Manual 2-Sided Print<sup>4</sup>

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

### Booklet Printing<sup>4</sup>

Print documents in A5 booklet format using manual 2-sided print

### Print Profiles<sup>3</sup>

Store your favourite driver settings as profiles to easily recall them

### Print from USB

Print directly from a USB flash drive (JPEG)

## Printer Driver

### Windows<sup>®</sup>

Windows<sup>®</sup> 10  
Windows<sup>®</sup> 8  
Windows<sup>®</sup> 7  
Windows<sup>®</sup> Server  
2016, 2012/2012R2,  
2008, & 2008R2

### Macintosh<sup>5</sup>

macOS 10.8.x or greater

<sup>1</sup> Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

<sup>2</sup> Calculated with 80g/m<sup>2</sup> paper

<sup>3</sup> Windows<sup>®</sup> & Mac<sup>®</sup> only

<sup>4</sup> Windows<sup>®</sup> only

<sup>5</sup> Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

<sup>6</sup> Must be web connected

<sup>7</sup> Vertical x horizontal

<sup>8</sup> Requires Brother software

<sup>9</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

<sup>10</sup> ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Paper Handling

### Paper Input<sup>2</sup>

Standard Tray - 150 Sheets  
Multi Purpose Tray - 80 sheets  
Feeder (ADF) - 20 Sheets

### Paper Output<sup>2</sup>

50 sheets Face Up

### Media Type & Weight Standard & Rear Multi Purpose Trays

Plain, Inkjet, Glossy (cast/resin)  
paper 64-220g/m<sup>2</sup> (260g/m<sup>2</sup>  
with Brother BP71 glossy paper  
only)

### Media Sizes Standard Tray

A4, LTR, EXE, A5, A6,  
Photo(102x152mm),  
Indexcard(127x203mm),  
Photo-L(9x13cm),  
Photo-2L(127x178mm),  
C5 Envelope, Com-10, DL  
Envelope, Monarch

### Media size Rear Multi

#### Purpose Tray

A4, LTR, EXE, A5, A6,  
Photo(102x152mm), Index-  
card(127x203mm),  
Photo-2L(127x178mm), C5 En-  
velope, Com-10, DL Envelope,  
Monarch  
Photo (102x152mm),  
Photo-L (89x127mm)

### Media Type & Weights ADF

Plain Paper 80g/m<sup>2</sup>

### Media Sizes ADF

148x148mm to  
215.9x355.6mm

## Mobile and Web Connectivity

### Brother iPrint&Scan Mobile App

Print from, scan to, send faxes,  
preview received faxes, preview  
copies and check the machine  
status from Android, iOS &  
Windows® Phone devices

### Brother iPrint&Scan Light

(Windows® 8, 10 & RT)  
Print from and scan to a  
Windows® 8, 10 or Windows  
RT Tablet

### Google Cloud Print 2.0

Print most common file types  
from any Google Cloud Print  
enabled application

### Apple AirPrint

Print from and scan to most  
common file types from any  
AirPrint enabled application

### Web Connect<sup>7</sup>

Scan to Dropbox, Google Drive  
Evernote, Box, One Note and  
One Drive

### Brother Print Service Plugin

Print from Android devices  
without a dedicated App

### Mopria

Print most common file types  
from Mopria supported Android  
devices

## Copy

### Copy Speed (A4)<sup>10</sup>

6ipm Mono & Colour

### Resolution

1,200 x 1,200dpi Mono  
1,200 x 600dpi Colour

### Multi-Copying/Stack/Sort

Makes up to 99 copies of each  
page / Stacks or Sorts

### Enlargement/Reduction Ratio

Reduce or Increase document  
sizes from 25% to 400% in 1%  
increments

### N in 1 Copying

Allows the user to compress  
2 or 4 pages on to a single  
A4 sheet

### Grey Scale

256 shades of grey (8 bit)

### Enlarge Text Copy<sup>7</sup>

Makes reading copied  
documents easier if the size of  
the text on the original  
document is small

<sup>1</sup> Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

<sup>2</sup> Calculated with 80g/m<sup>2</sup> paper

<sup>3</sup> Windows® & Mac® only

<sup>4</sup> Windows® only

<sup>5</sup> Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

<sup>6</sup> Must be web connected

<sup>7</sup> Vertical x horizontal

<sup>8</sup> Requires Brother software

<sup>9</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

<sup>10</sup> ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

<b>Scan</b>	<b>Scanner Type</b> CIS (Contact Image Sensor)	<b>Interpolated Scan Resolution<sup>7</sup></b> Up to 19,200 x 19,200dpi	<b>Colour Depth</b> 30 bit color Processing (Input) 24 bit color Processing (Output)
	<b>Colour &amp; Mono Scanning</b> Yes	<b>Scan Resolution</b> Up to 1,200 x 2,400dpi	<b>Grey Scale</b> 10bit color Processing (Input) 8bit color Processing (Output)
	<b>Scan Speed</b> 3.35 seconds Mono, A4 @100dpi 4.38 seconds Colour A4 @100dpi		

<b>Scanner Functions</b>	<b>Scan to E-mail</b> Scan directly into your e-mail application	<b>Scan to File</b> Scan to a file on your computer	<b>Scan to SharePoint<sup>4&amp;7</sup></b> Scan documents directly into SharePoint
	<b>Scan to OCR</b> Scan documents directly into your word processing application for instant editing	<b>Scan to USB</b> Scan directly to a USB flash drive	<b>Base Colour Removal</b> Yes <sup>7</sup>
	<b>Scan to Image</b> Scan into your preferred image editing software	<b>Scan To Microsoft Office<sup>7</sup></b> Scan directly to Microsoft Office file types via Brother Apps	<b>ID Scan<sup>7</sup></b> Yes  <b>1 to 2 Scan<sup>7</sup></b> Yes

<b>Scanner Drivers</b>	<b>Windows<sup>®</sup></b> TWAIN & WIA Windows <sup>®</sup> Windows <sup>®</sup> 10, Windows <sup>®</sup> 8 Windows <sup>®</sup> 7	<b>Macintosh<sup>®</sup></b> TWAIN macOS 10.8.x or greater
------------------------	---	--

<b>Fax</b>	<b>Fax Modem</b> 14,400bps (G3)	<b>Out of Paper Reception</b> Up to 170 pages ITU-T Test Chart #1/MMR)	<b>Auto Reduction</b> When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
	<b>PC Fax Send<sup>3&amp;7</sup> and Receive<sup>4&amp;7</sup></b> Send and Receive faxes directly from your PC	<b>Distinctive Ring Detection (UK &amp; Denmark only)</b> An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones	<b>Broadcasting</b> Send the same fax message up to 50 locations
	<b>Memory Transmission</b> Up to 170 pages ITU-T Test Chart #1/MMR)		

1 Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

2 Calculated with 80g/m<sup>2</sup> paper

3 Windows<sup>®</sup> & Mac<sup>®</sup> only

4 Windows<sup>®</sup> only

5 Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

6 Must be web connected

7 Vertical x horizontal

8 Requires Brother software

9 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

10 ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Fleet Management Tools

### Unattended Installer<sup>4</sup>

Ability to centrally deploy and customise our drivers and software

### MSI Installer<sup>4</sup>

Modular installers that can be distributed through Active Directory®

### BRAdmin Light<sup>4&5</sup>

LAN/WAN management software

### Driver Deployment Wizard<sup>4&5</sup>

Easily create print drivers for hassle free deployment over your network

## Software

### Brother iPrint&Scan (Windows & Mac)<sup>5</sup>

Print from, scan to, preview copies and check the machine status from windows or macOS<sup>PC</sup>

### Brother Control Centre 4 for Windows

Quick and easy access to many functions such as Scan, Photo Print and PC-FAX directly from your computer

## Security and Network

### Wired Network

Ethernet 10/100BASE-TX Auto Negotiation

### Wireless Network

IEEE 802.11b/g/n (Infrastructure Mode)  
IEEE 802.11g/n (Wi-Fi Direct)

### Wireless Network Security

WEP 64/128bit,  
WPA-PSK(TKIP/AES),  
WPA2-PSK(TKIP/AES)

### Wi-Fi Direct™

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

### Wireless Setup Support

Wi-Fi Protected Setup (WPS)

### IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNTP Client

### IPv6

(Turned off as default)  
NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNTP Client, ICMPv6

## Supplies and Accessories

### Inbox Ink Bottles

2 x BTD60BK  
1 x BT5000C  
1 x BT5000Y  
1 x BT5000M

### Ink Bottle Yield<sup>1</sup>

BTD60BK 6500pages  
BT5000C/Y/M 5000 pages

<sup>1</sup> Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

<sup>2</sup> Calculated with 80g/m<sup>2</sup> paper

<sup>3</sup> Windows® & Mac® only

<sup>4</sup> Windows® only

<sup>5</sup> Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

<sup>6</sup> Must be web connected

<sup>7</sup> Vertical x horizontal

<sup>8</sup> Requires Brother software

<sup>9</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

<sup>10</sup> ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Dimensions and Weights

**Without Carton (WxDxH)**  
435 x 439 x 195mm - 9.9Kg

**With Carton (WxDxH)**  
594 x 514 x 290mm - 13.1Kg

## Duty Cycle

**Recommended Monthly**  
50 to 1,000 pages per month

**Maximum Monthly<sup>9</sup>**  
Up to 2,500 pages per month

## Environment

**Power Consumption**  
Operating - 16W  
Ready Mode - 3.5W  
Sleep Mode - 1.2W  
Off - 0.2W

**Sound Pressure**  
Printing - 50dB(A)

**Ink Save Mode**  
This reduces the ink usage and helps to reduce the total cost of printer ownership

**Energy Star**  
Yes



<sup>1</sup> Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

<sup>2</sup> Calculated with 80g/m<sup>2</sup> paper

<sup>3</sup> Windows® & Mac® only

<sup>4</sup> Windows® only

<sup>5</sup> Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

<sup>6</sup> Must be web connected

<sup>7</sup> Vertical x horizontal

<sup>8</sup> Requires Brother software

<sup>9</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

<sup>10</sup> ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



### **Working with you for a better environment**

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

[www.brotherearth.com](http://www.brotherearth.com)

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**brother**  
at your side