PT-CUBE DATASHEET



The Bluetooth enabled labelling machine for home organisation, designed for Apple and Android devices









PT-CUBE WITH HOME LABELLING APP

mas Robe



Free P-touch Design&Print app for iOS and Android devices Bluetooth connectivity for easy set-up with you smartphone/tablet

Apple MFi certified allowing Bluetooth connectivity to Apple iPhone/iPad/iPod devices

Lots of Emojis/symbols

Choose from many fonts and frames

Save your frequently used labels

20mm/sec print speed

Prints durable labels up to 12mm in width

Also includes:

• 12mm black on white TZe tape (4m)

PRODUCTION: OCTOBER 2016

P-touch Design&Print App

- Available for Android and iOS devices.
- New user-friendly interface.
- Many templates for common labelling tasks around the home, garden, shed and for school.
- Includes many fun symbols and emojis.
- Save frequently used labels for quick recall and print.





PT-CUBE Labelling Machine

- Easy set-up with Bluetooth connectivity.
- Apple MFi certified.
- 20mm/second print speed.
- Prints 3,5, 6, 9, 12mm TZe labels.
- Uses 6 x AAA (LR03) alkaline batteries or optional AC adapter.



MOBILE APP LABELLING CATEGORIES

















MOBILE APP LABELLING TEMPLATES







HOME OFFICE



MOBILE APP LABELLING TEMPLATES







SCHOOL / IDENTIFICATION



MOBILE APP LABELLING TEMPLATES





GIFTS / ENTERTAINING



GARAGE/GARDEN









Amelia's Treats

















Specifications are subject to change without notice.

PT-CUBE SPECIFICATIONS



General

	PT-P300BT labelling machine
Carton contents	12mm TZe black on white tape cassette (4m)
	Documentation

Dimensions & Weights

Without carton	115 (w) x 61 (d) x 115 (h)
	0.38 kg
With carton	182 (w) x 196 (d) x 100 (h)
	0.69 kg
Master carton	306 (w) x 206 (d) x 199 (h) ¦ 3 per master carton
	2.33 kg

Software/App Compatibility

iOS (Apple)	iOS 9 or above
Android	Android 4.1 or above

Connectivity

	Bluetooth Ver 2.1 + EDR Class 2
Bluetooth	Apple MFi Certified

Printing

Printer Emulations	P-touch Raster
Printing speed	Up to 20mm/second
Print resolution	180dpi
Maximum tape width	12.0mm
Maximum print height	9.0mm
Cutter type	Manual full cutter
Maximum lines per label	2

Supplies

Tape types	TZe
Tape widths	3.5, 6, 9, 12 mm

Power

Batteries	6 x AAA (LR03) alkaline
AC adapter	Optional

Optional Accessories

AC adaptor AD-24ES

